



Creation & Artline



Gerflor

LET YOUR IMAGINATION RUN FREE

For anyone whose imagination is fired by design, Gerflor offers **Creation & Artline**, a stunning, collection of decorative PVC tiles and strips.



Black & White



Rusted Stone







Moon Island

REALISTIC DESIGNS




A wide choice of sizes helps you define spaces.

... to meet the requirements of innovative designers



Creation Wood

-  10.1 x 91.4 cm
-  15.2 x 91.4 cm
-  18.4 x 121.9 cm
-  45.7 x 45.7 cm




Creation Mineral & Design

-  45.7 x 45.7 cm
-  61 x 61 cm
-  30.5 x 61 cm

Artline Wood

-  10.1 x 91.4 cm
-  15.2 x 91.4 cm

Artline Mineral

-  30.5 x 30.5 cm
-  45.7 x 45.7 cm
-  30.5 x 61 cm

More than 80 fashionable and natural patterns...

... to meet the requirements of creators and designers:

- Grey or chocolate-brown concrete
- Metallic or natural mineral patterns
- Rustic or exotic wood
- Dark light colours

From grains to textures

New Creation and Artline flooring products offer a wide choice of wood and mineral finishes, all you need to create stylish, natural designs. Creation tile strips have bevelled edges for added realism.



FREE REIN FOR YOUR CREATIVITY

CREATION DESIGN

Classic BLACK & WHITE

Choose to be different:

- Plain for stylish patterns
- Marbled for a natural touch
- Wood tinted for originality




CREATION DESIGN

PALACE & SMART

Infinite decorative possibilities.

A Gerflor exclusive, the Palace & Smart thematics allow the introduction of subtle plain and striped patterns.



Smart Grey - Palace White - Smart Ivory



Black Oak - White Oak



Marble Fiezole - Marble Palermo

Mix and match

Harmonise wood and mineral effects, or create dramatic contrasts.



Limestone Siena - Zebrano Kouari

Create your own **reality**



Creation & Artline Wood



Durability and resistance

Pure PVC wear layer

- > Resists stains and scratches
- > Resistant to heavy foot traffic
- > Indentation resistant
- > Impact resistant
- > Dimensionally stable
- > Warm underfoot
- > Anti-static


Ease of maintenance

Polyurethane surface treatment (PUR)


- > Low maintenance costs (no initial polishes)
- > Long-lasting good looks
- > Resistant to scuffing and staining
- > Hygienic – inherently bacteriostatic and fungistatic

Environmentally friendly

- > Made from 65% recycled materials
- > Fully recyclable
- > Excellent life cycle performance



Zebrano Campo 0353




Macassar 0354




Asian Wenge 0355




Mystic River 0362




* Antique Wenge 0365




Black Mountain 0361



Zingana Brown 0350



Wild Oak 0359



Zingana White 0351




* Products et samples available in September 2008

Creation Wood & Artline Wood


- 18.4 x 121.9 cm
- 10.1 x 91.4 cm
- 15.2 x 91.4 cm
- 45.7 x 45.7 cm

Wearlayer thickness:


- Creation: 0.7 mm
- Artline: 0.3 mm



Drift Wood 0369




Mahogany 0253



Buxton Oak 0340



Copper Mountain 0363




Washed Wood 0368




* Antique Mahogany 0366




Deep Forest 0360




American Oak 0339



Denim Wood 0356



Doussie 0256




Moon Island 0358




Barnwood 0364




Drift Wood



Elm 0262



Portobello 0357



Golden Rustic 0367



Walnut 0265



* Products et samples available in September 2008

Creation Wood & Artline Wood


- 18.4 x 121.9 cm
- 10.1 x 91.4 cm
- 15.2 x 91.4 cm
- 45.7 x 45.7 cm

Wearlayer thickness:


- Creation: 0.7 mm
- Artline: 0.3 mm




Zébrano Kouari 0352
C: ● ● ●




Classic Oak 0260
C: ● ● ● A: ● ●




Natural Oak 0259
C: ● ● ● A: ● ●




Bedgebury Oak 0338
C: ● ● ●




Silversands 0324
C: ● ● ●




Sorb 0272
C: ● ● ● A: ● ●



Victoria Oak 0337
C: ● ● ● A: ● ●




Muir Oak 0258
C: ● ● ● A: ● ●




Limed Oak 0329
C: ● ● ●




Sycamore 0335
C: ● ● ● A: ● ●



Ash 0263
C: ● ● ●



Timber Oak 0325
C: ● ● ●




Birch 0269
C: ● ● ● A: ● ●



Chestnut 0267
C: ● ● ● A: ● ●



Beech Unsteamed 0271
C: ● ● ● A: ● ●




Darney Oak 0328
C: ● ● ●

Creation Wood & Artline Wood

- 18.4 x 121.9 cm
- 10.1 x 91.4 cm
- 15.2 x 91.4 cm
- 45.7 x 45.7 cm

Wearlayer thickness:

- Creation: 0.7 mm
- Artline: 0.3 mm



Barnwood



Silversands




Timber Oak



Create your own **Surroundings**

Creation Mineral & Design

Artline Mineral



Durability and resistance

Pure PVC wear layer

- > Resists stains and scratches
- > Resistant to heavy foot traffic
- > Indentation resistant
- > Impact resistant
- > Dimensionally stable
- > Warm underfoot
- > Anti-static

Ease of maintenance

Polyurethane surface treatment (PUR)

- > Low maintenance costs (no initial polishes)
- > Long-lasting good looks
- > Resistant to scuffing and staining
- > Hygienic – inherently bacteriostatic and fungistatic

Environmentally friendly


- > Made from 65% recycled materials
- > Fully recyclable
- > Excellent life cycle performance

Creation & Artline

- 30.5 x 30.5 cm
- 61 x 61 cm
- 30.5 x 61 cm
- 45.7 x 45.7 cm
- 15.2 x 91.4 cm

Wearlayer thickness:

- C Creation: 0.7 mm
- A Artline: 0.3 mm




Marble Palermo 0387




Palace White 0406




Palace Grey 0407



Washed Stone 0398




Marble Fiesole 0388




Smart Ivory 0408




Smart Brown 0411




East Side 0413




Black 0391




Black Oak 0342




Smart Dark Grey 0410



Soho 0401




White 0390



White Oak 0341




Smart Grey 0409




Tribeca 0399







Welsh Slate 0394




Granit Mandello 0389




Metalic Slate 0395




Tavullia 0412




Greenwich 0402



Natural Slate 0393




Sandstone Light 0404




Travertin Stone 0414




Chocolate Slate 0113




Pebble Stone 0422




Bessegen Ridge 0382




Almenara 0403




Concrete Trapani 0416



Scottish Slate 0383




Cazorla 0415




Natural Stone 0421




Dark Slate 0114




Pearl Granit 0392



Rusted Stone 0396



Sandstone Brown 0405




Concrete Messina 0417




Limestone Genova 0419



Creamy slate 0386




Marble Modena 0420




Slate Stone 0111




Tribeca Light 0400




Orkney Island 0385




Limestone Siena 0380




Concrete Verona 0418



Golden Slate 0384



Pearl Stone 0397




Carpri Stone 0381







Washed Wood



Sandstone Light



Tavullia



Zingana Brown



Concrete Verona



Pearl Stone



White Oak & Black Oak



Denim Wood




Cazorla



Carpari Stone & Soho



Macassar



Creamy Slate

New

Decorative strips natural colourways

6 colours available:
 Black, Brown Concrete,
 Dark Concrete,
 Light Concrete, Silver,
 White Concrete
 Width: 6 mm
 Thickness: 2 mm
 Packaging:
 50 strips/box



Black 0331



Brown Concrete 0334



Dark Concrete 0333



Light Concrete 0332




Silver 0330



White Concrete 0335


Technical Data



Wood

Creation


Creation Wood, Mineral & Design are a synthetic, decorative, flexible, antistatic abrasion group T floorcoverings available in tile or strip form, with bevelled edges. They comprise a transparent wear layer 0.7mm thick, a design film and a compact underlayer. They are compressed and grained at high pressure. They benefit from a polyurethane surface treatment (PUR), making maintenance easier and eliminating the need for initial polishes. Their overall thickness is 2.5mm.



Mineral, Design

Artline

Artline Wood and Mineral floorcoverings are synthetic, decorative, flexible, antistatic, abrasion group T tile and strips. They consist of a transparent wear layer 0.3mm thick, a design film and a compact underlayer. They are compressed and grained at high pressure. They benefit from polyurethane surface treatment (PUR), making maintenance easier and eliminating the need for initial polishes. Their overall thickness is 2mm.



Creation Slate

Creation Mineral Slate*

Creation Mineral Slate is a synthetic, flexible bonded floorcovering available in tile form with bevelled edges. They consist of a homogeneous wear layer 2.4mm thick. The floorcovering is compressed and grained at high pressure. They benefit from polyurethane surface treatment (PUR), making maintenance easier and eliminating the need for initial polishes.

* 0111 Slate Stone / 0113 Chocolate Slate / 0114 Dark Slate

	CREATION WOOD ⁽¹⁾	CREATION WOOD ⁽²⁾	CREATION MINERAL & DESIGN	CREATION SLATE ⁽⁵⁾	ARTLINE WOOD ⁽³⁾	ARTLINE WOOD ⁽⁴⁾	ARTLINE MINERAL
--	------------------------------	------------------------------	---------------------------	-------------------------------	-----------------------------	-----------------------------	-----------------

DESCRIPTION							
Total thickness	EN 428	mm	2.5			2.4	2
Wearlayer thickness	EN 429	mm	0.7			2.4	0.3
Weight	EN 430	g/m ²	3800	4400	4400	3700	3130 3720 3720
Size	EN 427	cm	15.2x91.4 10.1x91.4	15.2x91.4 18.4x121.9 45.7x45.7	45.7x45.7 30.5x61 61x61	30.5x61	10.1x91.4 15.2x91.4 30.5x30.5 45.7x45.7 30.5x61

CLASSIFICATION							
Norm / Product Specification	-	-	EN 649				
European classification	EN 685	Class	34 - 43			23 - 31	
Fire Rating	EN 13 501-1	Class	Bfl-s1				
Static electrical propensity	EN 1815	kV	< 2				
Slip resistance wet	DIN 51 130	Class	R9		R10	R9	

PERFORMANCES							
Wear resistance	EN 660.1	mm	≤ 0.08				
Wear group	EN 649	-	T				
Dimensional stability	EN 434	%	≤ 0.15				
Residual indentation	EN 433	mm	≤ 0.1				
Thermal conductivity	EN 12524	W/(m.K)	0.25				
Colour fastness	EN 20 105 - B02	Degree	≥ 6				
Chemical product resistance	EN 423	-	OK				
Surface treatment	-	-	PUR				

CE MARKING							
CE	EN 14041	-					
		-					

(1) Ref: 0253 Mahogany / 0256 Doussie / 0340 Buxton Oak / 0339 American Oak / 0338 Bedgebury Oak / 0325 Timber Oak / 0262 Elm / 0258 Muir Oak / 0328 Darney Oak / 0263 Ash / 0260 Classic Oak / 0272 Sorb / 0259 Natural Oak / 0267 Chestnut / 0271 Beech Unsteamed / 0335 Sycamore / 0337 Victoria Oak / 0269 Birch / 0329 Limed Oak / 0324 Silversands / 0265 Walnut / 0342 Black Oak / 0341 White Oak
 (2) Ref: 0351 Zingana White / 0350 Zingana Brown / 0354 Macassar / 0355 Asian Wenge / 0366 Antique Mahogany / 0365 Antique Wenge / 0353 Zebrano Campo / 0352 Zebrano Kouari / 0360 Deep Forest / 0359 Wild Oak / 0361 Black Mountain / 0362 Mystic River / 0363 Copper Mountain / 0364 Barnwood / 0368 Washed Wood / 0367 Golden Rustic / 0369 Drift Wood / 0358 Moon Island / 0356 Denim Wood / 0357 Portobello
 (3) Ref: 0340 Buxton Oak / 0335 Sycamore / 0337 Victoria Oak / 0253 Mahogany / 0265 Walnut / 0259 Natural Oak / 0271 Beech Unsteamed / 0267 Chestnut / 0272 Sorb / 0269 Birch / 0262 Elm / 0258 Muir Oak / 0260 Classic Oak
 (4) Ref: 0357 Portobello / 0363 Copper Mountain / 0359 Wild Oak / 0364 Barnwood / 0367 Golden Rustic
 (5) Ref: 0111 Slate Stone / 0113 Chocolate Slate / 0114 Dark Slate

PACKAGING - On stock								
CREATION	DIMENSIONS IN CM	SQM/BOX	TILES / BOX	BOXES/PALLET	WEIGHT/SQM	GROSS WEIGHT OF BOX (KG)	SIZE OF PALLET IN CM	GROSS WEIGHT OF PALLET (KG)
Strip	10.1 x 91.4	4.5	48	56	3.8	17.5	127 x 950 x 80	997
Strip ⁽¹⁾	15.2 x 91.4	4.5	32	56	3.8	17.5	127 x 950 x 80	997
Strip ⁽²⁾	15.2 x 91.4	4.5	32	48	4.4	19.68	98 x 98 x 86	985
Strip	121.9 x 18.4	3.37	15	80	4.4	15.35	100 x 125 x 82	1 268
Tile	45.7 x 45.7	3.34	16	64	4.4	15.70	95 x 95 x 86	1 045
Tile	30.5 x 61	3.34	18	42	4.4	15.27	65 x 98 x 80	681
Tile: Slate ⁽⁵⁾	30.5 x 61	3.6	20	36	3.7	13.50	65 x 97 x 15	734
Tile	61 x 61	3.34	9	48	4.4	15.26	65 x 130 x 81	772

DECORATIVE STRIPS	DIMENSIONS IN CM	PACKAGING
	0.6 x 91.4	50 strips / box

(1) Ref: 0253 Mahogany / 0256 Doussie / 0340 Buxton Oak / 0339 American Oak / 0338 Bedgebury Oak / 0325 Timber Oak / 0262 Elm / 0258 0260 Classic Oak / 0272 Sorb / 0259 Natural Oak / 0267 Chestnut / 0271 Beech Unsteamed / 0335 Sycamore / 0337 Victoria Oak / 0269 0265 Walnut / 0342 Black Oak / 0341 White Oak

(2) Ref: 0351 Zingana White / 0350 Zingana Brown / 0354 Macassar / 0355 Asian Wenge / 0366 Antique Mahogany / 0365 Antique Wenge / 0353 0360 Deep Forest / 0359 Wild Oak / 0361 Black Mountain / 0362 Mystic River / 0363 Copper Mountain / 0364 Barnwood / 0368 Washed 0369 Drift Wood / 0358 Moon Island / 0356 Denim Wood / 0357 Portobello

(5) Ref: 0113 Chocolate Slate / 0111 Slate Stone / 0114 Dark Slate

Muir Oak / 0328 Darney Oak / 0263 Ash / Birch / 0329 Limed Oak / 0324 Silversands / Zebrano Campo / 0352 Zebrano Kouari / Wood / 0367 Golden Rustic /

ARTLINE	DIMENSIONS IN CM	SQM/BOX	TILES / BOXES	BOXES/PALLET	WEIGHT/SQM	GROSS WEIGHT OF BOX (KG)	SIZE OF PALLET IN CM	GROSS WEIGHT OF PALLET (KG)
Strip ⁽³⁾	10.1 x 91.4	3.34	36	72	3.1	10.5	127 x 950 x 65	775
Strip ⁽⁴⁾	15.2 x 91.4	3.34	24	72	3.7	11.9	95 x 100 x 78	897
Tile	45.7 x 45.7	3.34	16	72	3.7	12.3	95 x 95 x 81	926
Tile	30.5 x 30.5	3.34	36	72	3.7	12.3	98 x 98 x 76	926
Tile	30.5 x 61	3.34	18	48	3.7	12.3	65 x 98 x 80	630

(3) Ref: 0340 Buxton Oak / 0335 Sycamore / 0337 Victoria Oak / 0253 Mahogany / 0265 Walnut / 0259 Natural Oak / 0271 Beech Unsteamed / 0262 Elm / 0258 Muir Oak / 0260 Classic Oak

(4) Ref: 0357 Portobello / 0363 Copper Mountain / 0359 Wild Oak / 0364 Barnwood / 0367 Golden Rustic / 0387 Marble Palermo / 0388 Marble Fiesole

0267 Chestnut / 0272 Sorb / 0269 Birch /

Maintenance

Creation and Artline products with polyurethane surface treatment do not require initial polishing (metallisation).

The life of the surface treatment depends upon observance of the floor cleaning maintenance instructions and the level of traffic. The frequency of maintenance must be adjusted to suit the shine required and the intensity of use to which the floorcovering is subjected.

Use of a non rubber barrier mat at the entrance to the premises is recommended, to remove abrasive particles from shoes.

Machine maintenance

Initial cleaning: Deep cleaning by machine, using a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

Daily maintenance: Machine cleaning with a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

Weekly maintenance: Spray detergent on footmarks.

Leave it to act for five minutes.

Then clean by machine.

Manual maintenance

Initial cleaning: Deep cleaning of the floor by machine, using a scrubbing/buffing machine, a scrubbing/drying machine or a rotary cleaner.

Daily maintenance: Remove dust with a broom or damp squeegee. Wash the floor with a swivel brush or squeegee. Spray detergent on footmarks. Leave it to act for five minutes. Polish with a polishing mop.

Deep cleaning: To be carried out every three months, depending upon frequency and intensity of use. Machine cleaning with a scrubbing/drying machine, a scrubbing/buffing machine or a rotary cleaner.

The manufacturer's instructions for the use of cleaning products must be strictly observed.

Products used must be suitable for PVC flooring.

The maintenance methods described are available on request from our technical assistance department.

The information given above is intended as an example.

Installation

The flooring contractor is responsible for laying floorcoverings. Laying must conform to current industrial standards. Please refer to the Installation sheets issued by Gerflor or contact our technical support department for information.




Do not use black rubber feet on chairs or furniture (they leave permanent stains). Only use PVC or polythene feet.

The images of floorcoverings in this catalogue have been reproduced as faithfully as printing technology permits. Samples from the range are also available on request.



Bedgebury Oak




Dark Slate



Copper Mountain

Committed to Sustainable Development



Gerflor invests heavily in research and development to achieve ours and our customers' environmental goals.

Investing in new raw materials and production processes, building a sustainable future

- Elimination of heavy metals
- Withdrawal of solvent based inks
- Elimination of phthalates rated CMR
- Air protection
- Preservation of water resources
- Reduction of energy consumption
- Industrial waste management

Innovative floors with proven technical performance - conserving precious resources for a sustainable future

- Economy and easy maintenance: innovative surface treatments to enable no need for polish/wax and reduction of chemical usage
- Sustainable installation: eg product concepts promoting easy loose lay installation (Attraction®, Textile backing,...)
- Assessment of the environmental impact throughout the full life of our products: Life Cycle Analysis

Pioneering solutions in recycling

- 100% recyclable floor coverings
- Nearly 100 % of our post manufacturing waste is recycled
- Gerflor was one of the founding members of the first PVC floor covering recycling workshop: AgpR



AgPR HQE®



AMERICA LATINA (BRASIL): Gerflor América Latina Pisos E Revest. Ltda
Tel.: (55) 11 30 55 2020 - Fax: (55) 11 30 55 2023
e-mail: gerfloramericalatina@gerflor.com

ASIA: Gerflor Asia
Tel.: (852) 2142 3728 - Fax: (852) 2834 4795
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND - Gerflor Australasia Pty Ltd
Tel.: 1 800 060 785
e-mail: gerflorpacific@gerflor.com

BENELUX/BELGIQUE/LUXEMBOURG: Gerflor Belgium
Tel.: (32) 03 766 42 82 - Fax: (32) 03 766 29 14
e-mail: gerflorbelgium@gerflor.com

CANADA: Gerflor International
Tel.: (1) 450 538 9828 - Fax: (1) 450 538 9827
e-mail: gerflorcanada@gerflor.com

DEUTSCHLAND
Gerflor Mipolam GmbH
Tel.: 0 22 41-25 30-0 - e-mail: GerflorMipolam@Gerflor.com
Kunden-Service - Tel.: 0 22 41-25 30 131
Fax: 0 22 41-25 30 100 - e-mail: Kundenservice@Gerflor.com
SAT Service und Anwendungstechnik - Tel.: 0 22 41-25 30 555 -
Fax: 0 22 41-25 30 550 - e-mail: Technik@Gerflor.com
www.gerflor-mipolam.de

ESPAÑA: Gerflor Iberia, SA
Tel.: (34) 91 653 5011 - Fax: (34) 91 653 2585
e-mail: gerfloriberia@gerflor.com

IRELAND: Gerflor Ltd
Sample service: +44 (0) 870 264 7581
Tel.: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorirl@gerflor.com
www.gerflor.ie

ITALIA: Gerflor S.p.A
Tel.: (39) 02 90 78 60 12 r.a. - Fax: (39) 02 90 42 74 84
e-mail: gerfloritalia@gerflor.com

MIDDLE EAST: Gerflor Middle East
Tel.: (966) 3 847 1779 - Fax: (966) 3 847 1781
e-mail: gerflorME@gerflor.com

NETHERLANDS: Gerflor BV
Tel.: (31) 40 266 17 00 - Fax: (31) 40 257 46 89
e-mail: gerflorNL@gerflor.com

ÖSTERREICH/SCHWEIZ
Gerflor GmbH
Tel.: (43) 07229 / 70 800-0 - Fax: (43) 07229 / 70 800-218
e-mail: austria@gerflor.com - e-mail: switzerland@gerflor.com

POLSKA: Gerflor Polska Sp z o.o
Tel.: (48) 61 823 34 01 - Fax: (48) 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia SA
Tel.: (351) 21 843 95 49 - Fax: (351) 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor Moscow Office
Tel.: +7 495 430-86-54 / +7 495 430-86-65 - Fax: +7 495 430-85-46
e-mail: gerflorrus@mspk.east.ru

SCANDINAVIA: Boide Gerflor Scandinavia a.s.
Tel.: (47) 64 95 60 70 - Fax: (47) 64 95 60 80
e-mail: gerflorscand@gerflor.no

UNITED KINGDOM: Gerflor Ltd
Sample service Tel.: +44 (0) 870 264 7581
Office Tel.: +44 (0) 1926 401 500 - Fax: +44 (0) 1926 401 647
e-mail: ContractUK@gerflor.com
www.gerflor.co.uk

USA: Gerflor Commercial Flooring
Tel.: 877 Gerflor (437.3567) - Fax: 770.455.4577
e-mail: gerflorcommercialUSA@gerflor.com

OTHER COUNTRIES: Gerflor International
Tél.: (33) 04 74 05 40 00 - Fax: (33) 04 74 05 03 13
e-mail: gerflorcontract@gerflor.com


Offices



Housing



Hotels Restaurants



Retail



Healthcare Retirement Homes

Department Stores



www.gerflor.com
www.creationbygerflor.com

Gerflor
Contract Flooring